			A
	Application No.	Applicant(s)	7 1 10
Notice of Allowability	10/721,550	MIYASITA ET AL.	
	Examiner	Art Unit	
	John B Nguyen	2819	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in this) or other appropriate communic RIGHTS. This application is subj	is application. If not includ cation will be mailed in due	led course. THIS
1. X This communication is responsive to 10/07/2004.			
2. ☑ The allowed claim(s) is/are <u>2 and 4-17</u> .			·
3. $igstyle igstyle igy igstyle igy igstyle igy igstyle igy igy igy igy igy igy igy igy$	y the Examiner.		
4. ☑ Acknowledgment is made of a claim for foreign priority u a) ☑ All b) ☐ Some* c) ☐ None of the: 1. ☑ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which giv 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date [b) ☐ including changes required by the attached Examiner' Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the company of the proper of the deposit of the proper of the deposit of the proper of the deposit	re been received. re been received in Application Nocuments have been received in Procuments have been received in	No In this national stage applicate this national stage applicate the complying with the result. INER'S AMENDMENT or Neclaration is deficient. PTO-948) attached the Office action of drawings in the front (not the l.121(d). IAL must be submitted. I	equirements NOTICE OF
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Sumr Paper No./Mai 08), 7. ☐ Examiner's Am	il Date	-

Application/Control Number: 10/721,550

Art Unit: 2819

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 2, 4-17 are allowed.
- 2. The following is an examiner's statement of reasons for allowance: The prior art fails to show a demodulating circuit for demodulating a pulse signal including runs of identical '1' or '0' symbols including: a hysteresis comparator comprises a comparator element having an inverting input terminal for receiving the first reference voltage, a non-inverting input terminal for receiving the differentiated signal; a logic level converting unit for converting the first state of the intermediate signal to the first logic level and converting the second state of the intermediate signal to the second logic level; a differentiating circuit comprising a differentiating capacitor coupling the pulse signal to the non-inverting input terminal of the comparator; an inverting amplifier with a negative feedback resistance; a limiting element for limiting an amplitude of the differentiated signal; a low-pass filter for removing high-frequency noise from the pulse signal. Therefore, claims 2, 4-17 are presently allowed.

Conclusion

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/721,550 Page 3

Art Unit: 2819

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John B. Nguyen whose telephone number is (571) 271-1808. The examiner can normally be reached on 8AM-4:30 PM M-F.

John B. Nguyen December 20, 2004

> Michael Tokar Supervisory Patent Examiner

Technology Center 2800